

CONSERVATION PLAN

CITY OF TUMWATER

2001 Update

TUMWATER CITY COUNCIL

Ralph C. Osgood, Mayor
Cindy Beauchene
Pete Kmet
Chris Parsons
Ed Stanley
Karen Valenzuela
Wayne Williams
Bruce Zeller

TUMWATER PLANNING COMMISSION

Ken Stone, Chair
John Brown
Melissa Denton
Veronical Fernandes
Jerry Lee, Jr.
John Linder
Jerry Murphy
Marnie Slakey
Warren Tryk

TUMWATER CITY STAFF

Doug Baker, City Administrator
Michael Matlock, Planning and Facilities Director
Tim Smith, Senior Planner
David Ginther, Assistant Planner
Kathleen Jolliffe, Secretary

TABLE OF CONTENTS

Table of Contents ii
Introduction iii

Section 1. Natural Resource Lands Conservation

Chapter 1 Agricultural Lands..... 1
Chapter 2 Forest Land Resources 5
Chapter 3 Mineral Resource Lands..... 9

Section 2. Critical Areas Protection

Chapter 4 Wetlands 15
Chapter 5 Aquifer Recharge Areas..... 28
Chapter 6 Frequently Flooded Areas 36
Chapter 7 Geologically Hazardous Areas 39
Chapter 8 Fish and Wildlife Habitat Conservation Areas 44

Appendices – Implementing Documents

A. Resolutions/Comprehensive Plan Amendment Resolution #429..... A-1
Planning Commission Recommendation and City Council
Final Order (CPA 2-91) A-3

B. Ordinances
#1276 Right to Farm..... B-1
#1277 Right to Mine B-4
#1278 Wetland Protection B-8
#1279 Aquifer Protection Overlay Zone (Created) B-47
#1280 Aquifer Protection Overlay Zone (Geographically Applied)..... B-50
#1281 Aquifer Protection City Wide..... B-52
#1282 Geologically Hazardous Areas B-56
#1283 Fish and Wildlife Habitat Protection B-60

INTRODUCTION

This Conservation Plan is an element of the City's Comprehensive Plan and has been created to meet State Growth Management Act requirements to identify, protect and conserve critical environmental areas and valuable natural resources. This plan specifically addresses the above-mentioned topics in the following fashion:

Natural Resource Lands Conservation:

- Agricultural Lands
- Forest Lands
- Mineral Resource Lands

Critical Areas Protection:

- Wetlands
- Aquifer Recharge Areas
- Frequently Flooded Areas
- Geologically Hazardous Areas
- Fish and Wildlife Habitat Areas

In addition to identifying these lands and setting forth policy to protect and conserve them, this plan is immediately implemented into law by the inclusion of companion ordinances. These ordinances are contained in the appendix and cover the following topics:

- Legally-established farms are allowed to operate free of nuisance suits.
- Legally-established mineral extraction facilities are allowed to operate free of nuisance suits.
- Wetlands are protected from filling and adverse environmental effect without adequate mitigations.
- The City's underground aquifer is protected from chemical/biological contamination (three ordinances on this topic).
- Geologically-hazardous areas are restricted in use and development.
- Fish and wildlife habitats are preserved and protected from new adjacent developments.

As drafted, the State Growth Management Act provides the possibility of conflict between the two goals of protecting critical areas and effectively conserving/utilizing natural resources. In the event that conflict does occur in the subsequent

implementation of the planning and development regulations contained herein, the priority of preserving and protecting critical areas will be superior to conserving/ utilizing natural resources.

This plan and implementing ordinances have been prepared in conformance with the City's adopted Citizen Participation/ Intergovernmental Review Policy as required by the Growth Management Act and set forth in City Resolution #418.

Best Available Science

RCW 36.70A.172 and WAC 365-195-900 through 365-195-925 require jurisdictions to use Best Available Science (BAS) in revising or adopting new policies and regulations related to critical areas. Utilization of BAS is particularly important to salmon recovery efforts required under the Endangered Species Act. BAS is essentially a process to assist jurisdictions in ascertaining what science is appropriate for use in basing policy and regulatory decision-making. Tumwater will use BAS in all revisions and additions to critical areas policies and regulations.

1. AGRICULTURAL LANDS

1.1 Introduction:

The conservation and protection of prime agricultural lands are essential to our economic and nutritional needs. Food, feed, forage, fiber and oil seed crops are all best produced on prime farmland soils which provide superior physical and chemical characteristics. Historically, valuable agricultural lands have been pushed out and eliminated by urbanization in the form of low-density suburban sprawl located outside cities and their urbanized environments.

With the passage of the State Growth Management Act in 1990, the identification and conservation of agricultural lands of long-term significance becomes a priority for cities and counties.

1.2 Agricultural Lands Classified:

This plan's classification and identification of agricultural lands of long-term significance is based partially upon the land-capability classification system of the United States Department of Agriculture Handbook No. 210. The classes of agricultural lands are based upon consideration of growing capacity, productivity, and soil composition of the land.

In further defining categories of agricultural lands of long-term significance, the reference standard is the use of the classification of prime and unique farmland soils as mapped by the Soil Conservation Service. Lastly, this plan recognizes that prime agricultural lands in the City have been substantially overlaid by urban uses and zones. These circumstances do not allow for a classification of long-term significance to be applied.

1.3 Agricultural Lands Conserved:

Of prime importance in defining the long-term significance of agricultural lands is taking into account the proximity to populated areas and the possibility of more intense uses of the land as indicated by:

- The availability of public facilities (available);
- Tax status (special tax status available);
- The availability of public services (available);
- Relationship or proximity to urban growth areas (within the Thurston UGMA);
- Predominant parcel size (moderate);
- Land use settlement patterns and their compatibility with agricultural practices (surrounding land uses of urban/suburban densities);
- Intensity of nearby land uses (urban or soon-to-be urban density);
- History of land development permits issued nearby (an urbanizing area);

- Land values under alternative uses (urbanized and urbanizing based upon highest and best use market driver); and
- Proximity of markets (local and regional).

1.4 **Tumwater Agricultural Lands Identified:**

Within Thurston County the following soil types meet the definition of the Soil Conservation Service (SCS) as prime and unique farmland soils.

Also, a review of the Soil Conservation Service Soil Survey Maps (13 and 18) covering Tumwater and its Urban Growth Area show the following prime and unique farmlands to be present, overlaid by urbanized, open space or agricultural land uses. The following chart is developed from the SCS Soil Survey of Thurston County. When soils are shown as prime/unique farmland, "where drained" does not imply that this plan encourages such action.

Map Unit # **Prime/Unique Farmland Soil Description In Tumwater**

14	Bellingham silty clay loam (where drained)	No
26	Chehalis silt loam	No
29	Dupont muck (where drained)	No
31	Eld loam	No
36	Everson clay loam (where drained)	No
37	Galvin silt loam, 0 to 5 percent slopes	No
38	Giles silt loam, 0 to 3 percent slopes	Yes
41	Godfrey silty clay loam (where drained)	Yes
50	Kapowsin silt loam, 0 to 3 percent slopes	No
64	Maytown silt loam	No
69	Mukilteo muck (where drained)	Yes
70	Mukilteo muck, drained	Yes
71	Newberg fine sandy loam	No
72	Newberg loam	No
73	Nisqually loamy fine sand, 0 to 3 percent slopes (where irrigated)	Yes
75	Norma fine sandy loam (where drained)	No
76	Norma silt loam (where drained)	Yes
86	Prather silty clay loam, 3 to 8 percent slopes	No
88	Puget silt loam (where drained)	Yes
89	Puyallup silt loam	Yes
97	Salkum silty clay loam, 3 to 8 percent slopes	No

Map Unit # **Prime/Unique Farmland Soil Description In Tumwater**

100	Scamman silty clay loam, 0 to 5 percent slopes (where drained)	No
104	Semiahmoo muck (where drained)	Yes

105	Shalcar muck (where drained)	No	
106	Shalcar Variant muck (where drained)	Yes	
107	Skipopa silt loam, 0 to 3 percent slopes (where drained)		No
115	Sultan silt loam	Yes	
120	Tisch silt loam (where drained)	Yes	
126	Yelm fine sandy loam, 0 to 3 percent slopes	Yes	

Map plates of the SCS soil maps are unavailable for inclusion in this plan; however, the reader is referred to the Soil Survey of Thuston County, Washington, 1990.

1.5 Tumwater Agricultural Lands Protected:

In reviewing the Soil Conservation Source's definition of prime farmlands, it is clear that eligible soil groups which are overlaid by urban or built-up land (housing, industrial, commercial, etc.) are not considered prime farmlands.

The City of Tumwater's Zoning Ordinance currently has a zoning district designated Residential/Agricultural (R-A). Within this zone agricultural land uses are allowed. The intent of the zone is to establish and preserve areas for agriculture, conservation, low-density residential, and outdoor recreation use without permitting the intensity of development which would require the provision of urban facilities and services. The second zone which allows agricultural uses is the Greenbelt (GB) zone district. The intent of this zone is to assure permanent open space within public utility easement corridors, land preserves, watershed areas, settling basins, natural greenbelts and land use buffers, wherein intensive urban development would adversely affect public use and natural environment benefits.

A matching of the R-A and G-B districts with the prime and unique farmland soils in Tumwater shows some correlation of spatial distribution. According to Assessor's records, no farm operations exist within the City (February 1991) that are using the farmland tax designation. This is a status that could change in the future given proper market conditions and future annexations. Large areas of prime farmland soils, within the City, are zoned for high-density Residential, Commercial, and Industrial land uses. In order to conserve and encourage existing farmlands within the present and future corporate boundaries of Tumwater, a "Right to Farm" ordinance should be created within the Environment section of the Tumwater Municipal Code. This "Right to Farm" code would have the following attributes:

Intent

It is the declared policy of the City of Tumwater to conserve and protect the development and improvement of its prime and unique farmland soils being used now or in the future for agricultural purposes within the appropriate zone district(s). When non-agricultural land uses locate near agricultural uses, those agricultural operations can be subject to nuisance suits. As a result, agricultural operations can be

forced to cease operations. Future reinvestment into agricultural operations can also be discouraged by the presence of unfriendly or non-compatible neighbors. It is the intent of the City to limit the circumstances under which properly zoned and/or legally established agricultural operations may be deemed a nuisance and claims made against them.

Limitation on Nuisance Claims

- No properly zoned or legally established non-conforming agricultural operation or any of its appurtenances shall be or become a nuisance, private or public, by any changed conditions in or about the locality thereof; provided that the provisions of this subsection shall not apply whenever a nuisance results from the negligent or improper operation of any such agricultural operation or its appurtenances.
- For the purpose of this code, "agricultural operation" includes any facility for the production for commercial purposes of crops, livestock, poultry, livestock products or poultry products.
- Any and all ordinances of the City now in effect or hereafter adopted that would make the operation of any properly zoned or legally established nonconforming agricultural operation or its appurtenances a nuisance in the circumstances set forth in this code are and shall be null and void; provided, however, that the provisions of this subsection shall not apply whenever a nuisance results from the negligent or improper operation of any such agricultural operation or any of its appurtenances.
- The determination that an agricultural operation is being run in a negligent or improper manner shall be determined by the City's Director of Community and Economic Development with that decision appealable to the City Hearing Examiner and, subsequently, the City Council. Appeal fees are to be established by City Council resolution.

2. FOREST LAND RESOURCES

2.1 Introduction:

Forest lands are a paramount economic raw resource for Washington State's economy. This valuable resource must be husbanded to insure that in the future a continuous production of timber and forest products are assured. It is the State's policy to encourage forestry and restocking and reforestation of forests (RCW 84.33.010). It is through the proper management of forestry that environmental benefits will also accrue in areas of enhanced water quality, air quality, reduction of soil erosion, lessening of storm and flood damage, protection of valuable wildlife habitats, provision of scenic and recreational spaces, and providing a valuable buffer of a natural ecological equilibrium.

2.2 Forest Land Resources Identified:

The State Growth Management Act requires cities and counties to classify and conserve resource lands, including forest lands. The classification of the forest lands is to be based upon the private forest land grades of the Department of Revenue (WAC 458-40-530).

This classification system incorporates consideration of growing capacity, productivity and soil composition of the land. Forest land of long-term commercial significance will generally have a predominance of the higher private forest land grades. However, the presence of lower private forest land grades within the areas of predominately higher grades need not preclude designation as forest land.

Worked into this plan's identification of forest lands are considerations of long-term commercial significance, proximity to urbanized areas and the possibility of more intense uses of land. Forest lands can most often be identified by reviewing the land parcel tax base to discover large tracts of land which declare themselves "open space" or "designated forest land" thereby acquiring a reduced tax rate.

In defining what lands could be identified by the State classification system as forest lands, the beginning point of definition is a cross-reference of species, site index and land grades:

Washington State Private Forest Land Grades

<u>Species</u>	<u>Site Index</u>	<u>Land Grade</u>
Douglas Fir	136 ft. and over	1
	118 - 135 ft.	2
	99 - 117 ft.	3
	84 - 98 ft.	4
	under 84 ft.	5
Western Hemlock	136 ft. and over	1
	116 - 135 ft.	2
	98 - 115 ft.	3
	83 - 97 ft.	4
	68 - 82 ft.	5
	under 68 ft.	6
Red Alder	117 ft. and over	6
	under 117 ft.	7

(Land Grade 1 = highest, Land Grade 7 = lowest)

Forest lands are further defined by operability classes based upon characteristics of soils and geomorphic features. The criteria are applied as follows:

- **Class 1 - Favorable.** Stable soils that slope less than thirty percent. Forest operations do not significantly impact soil productivity and soil erosion. Forest operations, such as roading and logging, are carried out with minimal limitations.
- **Class 2 - Average.** Stable soils that slope less than thirty percent, but on which significant soil erosion, compaction, and displacement may occur as a result of forest operations.
- **Class 3 - Difficult.** Soils with one or both of the following characteristics:
 - a) Stable soils that slope between thirty and sixty-five percent; and
 - b) Soils that slope between zero and sixty-five percent, but display evidence that rapid mass movement may occur as a direct result of forest operations.
- **Class 4 - Extreme.** All soils that slope more than sixty-five percent.

2.3 Forest Lands Conserved:

When considering the effects of proximity of Tumwater's populated areas on the successful conservation of forest lands, the following items are considered:

- The availability of public services and facilities conducive to the conversion of forest land (available);
- The proximity of forest land to urban and suburban areas and rural settlements: forest lands of long-term commercial significance are located outside the urban and suburban areas and rural settlements (located within an urban area);
- The size of the parcels: forest lands consist of predominantly large parcels (parcels identified are modest in size);
- The compatibility and intensity of adjacent and nearby land use and settlement patterns with forest lands of long-term commercial significance (adjacent land uses of urban land use intensity);
- Property tax classification: Property is assessed as open space or forest land pursuant to chapter 84.33 or 84.34 RCW (2 parcels identified);
- Local economic conditions which affect the ability to manage timberlands for long-term commercial production (judged not to be supportive in the long term); and
- History of land development permits issued nearby (other large tracts in the City have been harvested under Class 4 DNR permits indicating land use conversions are to occur).

2.4 Tumwater Forest Lands Identified:

Thurston County Assessor public records show that only two parcels within Tumwater and its Urban Growth Boundary are designated forest lands. These two parcels are 40 and 43.43 acres respectively. The surrounding zoning/land uses adjacent to these locations and parcels are as follows:

<u>Parcel #</u>	<u>Adjacent Zoning</u>	<u>Adjacent Land Use</u>
1. Tax Code 12829410000 Sec. 29, Township 18, Range 2W	North - CI South - CI/RA East - CI/RA West - CI/RA	Gravel pit extraction Low-density Residential Gravel pit extraction Open space/Low-density Residential

2. Tax Code 12833130000 Sec. 33, Township 18, Range 2W	North - MDR 2-8/1	Low-density Residential
	South - CI	Beehive Industrial Park
	East - RM	Residential
	West - RS	Low-density Residential

(CI = Commercial/Industrial; RA = Residential/Agricultural; RS = Residential Single Family; RM = Residential Medium Density; MDR = Medium Density Residential - County Zone)

While only two parcels are identified by the Assessor's office as having forest land tax status, this does not preclude the possibility of other parcels, not so identified, intended to be used as forest land.

2.5 Tumwater Forest Lands - Long Term Urbanization:

The State Growth Management WAC 365-190-060 (2) states that forests of long-term commercial significance are located outside the urban areas/suburban areas and rural settlements. Therefore, the two identified parcels of forest land (as well as any others now or in the future) within Tumwater are not considered by this plan to be of long-term significance and will not be designated protected resource lands. As future parcels of property are annexed or planned for within context of the Thurston County Urban Growth Management Agreement, this method of designating commercial forest lands of long-term significance will be pursued as a goal of this plan.

No subsequent implementing ordinance is needed to implement the Forest Land Resources chapter of this plan.

Given no incentive to continue forestry of the two designated forest land parcels within the City limits of Tumwater, it is highly likely that as urbanization trends continue, these parcels ultimately will be logged and converted to the predominant adjacent land uses of Commercial/Industrial or Low-Density Residential.

While no forest lands of long-term significance are currently identified, those parcels of land that are currently forested are encouraged to remain forested for their environmental and open space benefits, as long as possible, before converting to urbanized land uses.

3. MINERAL RESOURCE LANDS

3.1 Introduction:

As with other types of resource lands discussed in this plan, the identification and conservation of mineral resource lands is a requirement placed upon Tumwater by the State Growth Management Act. This plan will identify and classify mineral resource lands from which the extraction of minerals can be anticipated. Also, a strategy to ensure a future supply of these minerals will be discussed. As a definition, minerals and the resource lands within which they are mined apply to resources including gravel, sand, and valuable metallic substances that have a known or potential long-term commercial significance.

3.2 Mineral Resource Lands Defined:

In defining what lands qualify as "mineral resource lands", this plan bases its methodology upon the "Mineral Resource Land Classification System" developed by the Washington State Department of Natural Resources with modification to include consideration of environmentally-sensitive areas, existing land use, and land ownership factors.

The Mineral Resource Lands Classification Criteria is as follows:

Marketability - Strategic (in short domestic supply) and non-strategic minerals which are minable, recoverable and marketable in the present or foreseeable future (50 years).

Threshold Value - The gross selling price of the first marketable product from an individual mineral deposit. For those that meet the marketability criteria, only those which exceed the following threshold values in 1990 equivalent dollars shall be considered significant:

- **Construction Materials** - Sand, gravel, or crushed rock that normally receive minimal processing (commonly washing and grading): **Minimum Value \$5,000,000**
- **Industrial and Chemical Mineral Materials** - Non-metallic mineral materials that normally receive extensive processing such as heat or chemical treatment or fine sizing. Examples include limestone, marble, specialty sands, clays, peat, coal, borates, gypsum, talc, feldspar, building and dimension stone, rock varieties produced into granules, rock floor, mineral wool and similar commodities: **Minimum Value \$1,000,000**
- **Metallic and Rare Minerals** - These are metallic elements, minerals and gemstones that possess special properties valuable to science and industry.

Examples include ores, deposits, or crystals of: precious metals (such as gold), iron and ferro-alloy metals (such as tungsten), base metals, mercury, uranium, rare earths, minor metals (such as rubidium), gemstones: **Minimum Value \$500,000**

- **Non-Fluid Mineral Fuels** - These are non-hydrothermal mineral fuels occurring in sedimentary rocks such as: coal, coal bed methane, lignite, peat, organic shale, tar sand, uranium and thorium: **Minimum Value \$1,000,000**
- **Unique or Rare Occurrences** of rocks, minerals or fossils that are of outstanding scientific significance: **No Minimum Value**

3.3 Mineral Resource Lands Identified:

This plan will identify lands with long-term commercial significance for extracting the mineral resources outlined in Section 3.2.

The following Mineral Resource Areas (MRA) and Scientific Resource Sites (SRS) categories are used in classifying lands:

- **MRA-1:** Areas where adequate information indicates that no significant mineral deposits are present, or where it is judged that there is little likelihood for their presence. This area shall be applied where well-developed lines of reasoning, based upon economic geological principles and adequate data, demonstrate that the likelihood for occurrence of significant mineral deposits is nil or slight.
- **MRA-2:** Areas where adequate information indicates that significant mineral deposits are present or where it is judged that there is a high likelihood for their presence. This area shall be applied to known mineral deposits or where well-developed lines of reasoning, based upon economic geologic principles and adequate data, demonstrate that the likelihood for occurrence of significant mineral deposits is high.
- **MRA-3:** Areas containing mineral deposits the significance of which cannot be evaluated from available data.
- **MRA-4:** Areas where available information is inadequate for assignment to any other MRA.
- **SRS:** Areas containing unique or rare occurrences of rocks, minerals, or fossils that are of outstanding scientific significance.

3.4 Tumwater Mineral Resource Lands Identified:

Six sources of information are referenced for the present and future distribution of

Tumwater's mineral resources:

- 1) Inventory of Abandoned Coal Mines in the State of Washington: Published by the US Department of Interior/ Washington State Department of Natural Resources (1985).
- 2) Washington State Coal Mine Map Collection: Published by the Washington State Department of Natural Resources (1983).
- 3) Geologic Map of the Centralia Quadrangle, Washington: Published by the Washington State Department of Natural Resources (1987).
- 4) Tumwater Aerial Photographs (1989)
- 5) Tumwater Land Use Inventory (1991)
- 6) Telephone Conversations with Washington State Department of Natural Resources Staff

These six sources of mineral resource distribution have identified the following sites which now, or in the future, will provide valuable mineral resources:

<u>Mineral Resource</u>	<u>Section</u>	<u>Location</u>		<u>Status</u>
		<u>Township</u>	<u>Range</u>	
Igneous Rock Quarry (Black Lake Boulevard)	29	18	2W	MRA-2
Sand/Gravel Pit (101)	28	18	2W	MRA-2
Sand/Gravel Pit (R.W. Johnson)	21	18	2W	MRA-2
Sand/Gravel Pit (26th Avenue)	29	18	2W	MRA-2
All Mineral Resources	Locations	City-Wide	Unknown	MRA-4

Mineral resource lands identified are subject to consideration of the effects of proximity to population areas and the possibility of more intense uses of land as indicated by:

- General land use patterns in the area (urban);
- Availability of utilities (available);
- Availability and adequacy of water supply (available);
- Surrounding parcel sizes and surrounding uses (small-medium sized parcels, land uses industrial and commercial in nature);
- Availability of public roads and other public services (yes);
- Division or zoning for urban or small lots (yes);
- Accessibility and/or distance from point of use (in close proximity);
- Physical and topographic characteristics of the mineral resource site

- (accommodating to low operating costs);
- Depth of the resource (exposed at surface);
- Depth of the overburden (exposed materials);
- Physical properties of the resource (high grade gravels, sands and rock);
- Life of the resource (10 to 100 years); and
- Resource availability in the region (good for sands/gravel, limited on rock).

There also exists the possibility that future discoveries of mineral resources, or conducive market conditions, may encourage the opening of new mineral resource extraction operations. What or where these facilities would locate cannot be accurately gauged. This plan proposes to treat existing and future emerging mineral resource extraction sites in the following manner:

- 1) A newly-established mineral resource extraction facility must be a land use identified within the zone(s) applying to the site.
- 2) A "Right to Mine" ordinance be created within the City's Environmental Code, Title 16. This ordinance would protect legally-established mineral resource extraction facilities and would have the following attributes:

Intent:

It is the declared policy of the City of Tumwater to conserve and protect its valuable mineral resource lands and operations established to extract those minerals. When other land uses locate near extraction uses, those extraction uses can be subject to nuisance suits. As a result, mineral resource extraction facilities can be forced to cease operations. Future reinvestment into mineral resources operations can also be discouraged by the presence of unfriendly or non-compatible neighbors. It is the intent of the City to limit the circumstances under which mineral resource extraction operations may be deemed a nuisance and claims made against them.

Limitation on Nuisance Claims:

- 1) No mineral resource extraction operation or any of its appurtenances shall be or become a nuisance, private or public, by any changed conditions in or about the locality thereof after the same has been in operation for more than one year, when such operation was not a nuisance at the time the operation began; provided that the provisions of this subsection shall not apply whenever a nuisance results from the negligent or improper operation of any such operation or its appurtenances.
- 2) For the purpose of this code, "mineral resource extraction" refers to operations that mine the following substances:

Construction Materials - Sand, gravel, or crushed rock that normally receive minimal processing (commonly washing and grading): **Minimum Value**

\$5,000,000 (Inflation adjusted to 1990 dollars.)

Industrial and Chemical Mineral Materials - Non-metallic mineral materials that normally receive extensive processing such as heat or chemical treatment or fine sizing. Examples include limestone, marble, specialty sands, clays, peat, coal, borates, gypsum, talc, feldspar, building and dimension stone, rock varieties produced into granules, rock floor, mineral wool and similar commodities: **Minimum Value \$1,000,000** (Inflation adjusted to 1990 dollars.)

Metallic and Rare Minerals - These are metallic elements, minerals and gemstones that possess special properties valuable to science and industry. Examples include ores, deposits, or crystals of: precious metals (such as gold), iron and ferro-alloy metals (such as tungsten), base metals, mercury, uranium, rare earths, minor metals (such as rubidium), gemstones: **Minimum Value \$500,000** (Inflation adjusted to 1990 dollars.)

Non-Fluid Mineral Fuels - These are non-hydrothermal mineral fuels occurring in sedimentary rocks such as : coal, coal bed methane, lignite, peat, organic shale, tar sand, uranium and thorium: **Minimum Value \$1,000,000** (Inflation adjusted to 1990 dollars.)

Unique or Rare Occurrences of rocks, minerals or fossils that are of outstanding scientific significance: **No Minimum Value**

- 3) Any and all ordinances of the City now in effect or hereafter adopted that would make the operation of any such mineral resource extraction operation or its appurtenances a nuisance in the circumstances set forth in this code are and shall be null and void; provided, however, that the provisions of this subsection shall not apply whenever a nuisance results from the negligent or improper operation of any such mineral resource extraction operation or any of its appurtenances.
- 4) The determination that a mineral resource extraction operation is being run in a negligent or improper manner shall be determined by the City's Director of Community and Economic development with that decision appealable to the City Hearing Examiner and, subsequently, the City Council. Appeal fees are to be established by City Council resolution.
- 5) Upon the cessation of mining operations, reclamation of the site should proceed in accordance with all applicable federal, state, and local regulations.
- 6) Mining facilities should operate in a manner consistent with all applicable federal, state, and local regulations.
- 7) All plats, short plats, development permits, and building permits issued for development activities on, or within three hundred feet of, lands designated as

mineral resource extraction facilities, shall contain a notice that the subject property is within or near a mineral resource extraction facility on which a variety of commercial activities may occur that are not compatible with residential development for certain periods of limited duration.

1. WETLAND AREAS

1.1 Introduction

Wetlands serve many important ecological and social functions. Tumwater's wetlands act as natural reservoirs for flooding and stormwater runoff; protect water quality by filtering out pollutants; help stabilize shorelines with their root systems; provide areas for groundwater recharge; provide habitat areas for fish, wildlife, and vegetation; provide open space and recreation opportunities; and provide areas for scientific study and natural resource education.

Wetlands preservation can significantly reduce public and private costs associated with downstream flooding, poor water quality, and diminishing wildlife habitat.

Tumwater intends to preserve, protect, manage, and regulate wetlands for the purpose of promoting public health, safety and general welfare while conserving fish, wildlife and other natural resources; protect the ecological and economic benefits to the public of wetlands functions and values; regulate property use and development to maintain the natural and economic benefits provided by wetlands; protect private property rights consistent with the public interest; and provide for protection against direct and indirect wetlands impacts by providing regulatory authority for management of wetland buffers.

It is the short-term goal of this policy to achieve no net loss of the remaining wetlands in Tumwater, defined by acreage and function. It is the long-term goal to create wetlands, where feasible, to increase the quantity and quality of wetlands in Tumwater.

1.2 Existing Wetland Policies, Regulations, and Inventories

There are a number of federal, state, and local wetland policies, regulations, and inventories that currently form a patchwork for wetlands protection. Many wetlands remain unregulated, however, because existing regulations do not address wetlands in all possible forms and sizes.

Federal Clean Water Act:

This is broad-based law covering water pollution control in general. Section 404 of the Act requires the Army Corp of Engineers to regulate the filling of waters of the state. The dredging, draining or land clearing of wetlands of any size is not addressed by the Act. The Act does not regulate activities in wetlands of less than one acre, and does not completely address the range of possible wetland impacts even for wetlands larger than one acre in size.

State Shoreline Management Act:

Regulates activities in Shorelines of the State, which include marine waters, lakes over 20 acres in size, streams with flows in excess of 20 cubic feet per second (cfs), and all lands within 200 feet of the ordinary high water mark.

The Act excludes wetlands not "associated" with waters of the State, including isolated wetlands and riparian wetlands associated with lakes less than 20 acres and streams with flows less than 20 cfs. It also exempts most agricultural and forest practices from permit requirements.

State Hydraulics Code:

The Departments of Fisheries and Wildlife administer this program: the Hydraulic Project Approval process. The intent of the Code is to protect fish and fish habitat.

Wetlands outside the Ordinary High Water Mark and isolated wetlands without fish life are excluded. Does not address impacts to wetland functions and values other than fish and fish habitat.

Federal Manual for Identifying and Delineating Jurisdictional Wetlands:

This manual is very technical in nature and is currently the definitive methodology for determining when a wetland is present and where a wetland boundary is located. The Fish and Wildlife Service, the Environmental Protection Agency, the Department of Army, and the Soil Conservation Service jointly prepared the manual. Tumwater uses the 1987 version of the manual.

National Wetlands Inventory:

Conducted on a national level using aerial photographs, it depicts wetland locations, approximate boundaries, and includes classification by wetland type. The inventory is available for Tumwater but should not be presumed to locate every wetland area in Tumwater. Often the only reliable method for wetland identification is a site visit by a qualified wetland biologist. This is typically done in conjunction with a development proposal.

Thurston County Wetland Inventory:

This inventory by Thurston Regional Planning Council is based on color infrared aerial photographs. In many cases, the results of the aerial photography will be verified by field surveys. The end result is digitized maps showing wetlands boundaries and types. This inventory will need to be supplemented with site specific field surveys to clearly delineate wetland boundaries at the time of development

permit review.

Tumwater Subdivision Code:

This code regulates the division of land, and does not specifically regulate wetlands. The Subdivision Code references Title 16 of the Tumwater Municipal Code for specific standards related to protection of wetland and other critical areas.

Tumwater Environmental Policy:

This code adopts the State Environmental Policy Act by reference. The intent of this code is to identify and if necessary, mitigate the environmental impacts associated with a variety of actions. Specific regulations regarding protection of wetlands are identified in TMC 16.28.

Tumwater Tree Protection Code:

This code regulates the clearing of land in Tumwater. This Code references TMC 16.28 for specific measures to protect wetlands.

Tumwater Shoreline Management Program:

Tumwater's Shoreline Management Program does not go beyond the regulations identified under the State Shoreline Management Act described above. In general, required Wetland buffer widths for wetlands regulated under the Shoreline Management Program are 50 feet. It may be desirable to reexamine, in the future, the wetland policies and regulations contained in the Shoreline Management Program for consistency with the Wetlands Protection Ordinance.

Tumwater Floodplain Regulations:

The Floodplain Zone Overlay District in the Tumwater Zoning Code prohibits or strictly limits development in the base flood area. This minimizes out-of-bank flows during periods of flood, thus reducing adverse impacts to wetlands.

1.3 Wetland Values and Benefits

Wetlands serve many important ecological and social functions. Until recently, wetlands were regarded as a nuisance to be drained and filled to accommodate development. As wetlands have disappeared, we have come to realize that the loss of wetlands comes at a severe cost; therefore, public policy has begun to change to reflect an appreciation of wetlands and their functions. A summary of wetland benefits follows:

- Wetlands are very important for slowing and storing flood waters. Riverine wetlands and floodplains provide flat areas where flood waters can spread out and slow down, reducing the height and velocity of floods. Flood waters trapped in wetlands may then slowly drain, reducing stream bank erosion and downstream peaks;
- Wetlands provide erosion control for shorelines by dissipating the water's energy and stabilizing shorelines with the root systems of plants commonly found in wetlands;
- Wetlands improve water quality by their ability to filter out sediments, nutrients, and toxic chemicals. Moving water carries suspended sediments and other materials. As the water enters a wetland and slows down, these sediments tend to settle down. The sediments are then trapped by the wetland vegetation, which in turn reduces the amount of siltation deposited in lakes and reservoirs;
- Wetlands allow water to soak into the underlying soil, which adds to the supply of groundwater;
- Wetlands provide essential areas for waterfowl and migratory shorebirds to rest and feed;
- Wetlands provide essential escape cover and feeding, nesting, and breeding habitat for many species of fish and wildlife. Wetland plants help protect juvenile fish, thereby serving to increase the anadromous fish population;
- Wetlands furnish areas for education and research of a variety of flora and fauna that cannot be found in other environments;
- Wetlands provide open space and recreation opportunities, including fishing, hiking, boating and birdwatching.

1.4 **Wetland Protection Areas Classified**

The State Growth Management Act (RCW 36.70A) requires cities and counties to classify wetlands according to relative function, value, and uniqueness. Tumwater will use the Washington State four-tier wetlands rating system for classifying wetlands as outlined below, which will be further identified in the wetlands protection ordinance.

Category I wetlands:

Those regulated wetlands of exceptional resource value based on the presence of

priority species or rare wetland communities, sensitivity to disturbance, and irreplaceable ecological functions.

Category II wetlands:

Those regulated wetlands of significant resource value based on significant functional value and diversity, wetland communities of infrequent occurrence, and other attributes that may not be adequately replicated through creation or restoration.

Category III wetlands:

Those regulated wetlands that have important resource value based on vegetative diversity.

Category IV wetlands:

Those regulated wetlands of ordinary resource value based on monotypic vegetation of similar age and class, lack of special habitat features, and isolation from other aquatic systems.

1.5 Wetland Identification

Identification of wetlands will be undertaken primarily on a case-by-case basis at the time an application for development is made, using the Federal Manual for Identifying and Delineating Jurisdictional Wetlands (1987) and the Washington State Four-Tier Classification System in their current form and as hereafter amended. The Federal Manual for Identifying and Delineating Jurisdictional Wetlands is a document published jointly by the Fish and Wildlife Service, Environmental Protection Agency, Department of the Army, and the Soil Conservation Service. This manual uses a three-tier methodology for wetland identification: hydrophytic vegetation, hydric soils, and wetland hydrology, all of which must be present in order to qualify as a wetland.

A qualified wetland biologist should be employed by the development applicant, at their cost, to identify wetland areas and delineate wetland boundaries. A list of qualified wetland biologists should be created and maintained by Tumwater for use by applicants. Use of a qualified wetland biologist not on the list should be subject to review and approval by the Development Services Director.

1.6 Wetland Protection Concerns

Concerns about wetlands in Tumwater and the Thurston region, in general, include:

- Very conservative estimates of wetlands losses in Washington State indicate

that Washington has lost over 33 percent of its wetlands;

- Nationally, the United States is estimated to have lost at least 50% of its original wetlands;
- Increased development of impervious surfaces causes increased storm and surface water runoff, further adding importance to wetlands functions of water storage and groundwater recharge;
- Increased impervious surfaces elevates the pollutant load of materials such as gasoline and oil, which is eventually deposited in the sediments of lakes, wetlands, and estuaries;
- Conversion of forest land to non-forest uses causes increased loading of wildlife into remaining wetland and forest land areas;
- Wetland losses have decreased the habitat available to fish, wildlife, and vegetation; and
- Many of the functions and values of remaining wetlands have been degraded because of off-site activities.

1.7 Wetland Protection Techniques

Techniques that can be used to protect wetland areas include:

- Establish the State four-tier ranking system for wetland classification based on function and value;
- Require a qualified wetland biologist to determine wetland type and boundary for development sites containing wetlands;
- Establish wetland buffers based on the relative value of the wetland in which no development or disturbance shall occur;
- Strive to achieve no net loss of wetland areas and functions;
- Strive to create wetlands in the long term, where feasible, to increase the quantity and quality of wetlands.
- Attempt to avoid impacts to wetlands altogether if practicable;
- If impact avoidance is impossible, attempt to reduce wetland impacts through mitigation;

- If impact avoidance and reduction is impossible, wetland compensation should be accomplished;
- Preliminary wetland mapping has been completed by The Thurston Regional Planning Council and is available at Tumwater City Hall. This mapping does not negate the requirement for on-site wetland identification by a qualified wetland biologist in conjunction with development proposals. It does, however, provide a starting point for wetland identification; and
- Provide education on the value of wetlands to developers and homeowners;

1.8 Tumwater Wetlands Protection

WAC 365-190-040 (1) states that when critical areas (including wetland areas) cannot be readily identified, these areas should be designated by performance standards or definitions. In this way, such areas can be specifically identified during the processing of a site-specific permit or development authorization.

The adoption of a "performance standards"-based identification and regulatory process, by its nature, closes out such options as the creation of overlay zones. For the purposes of wetland protection, a "performance standards"-based process will be followed.

A "performance standards"-based wetlands protection ordinance should be developed to classify, designate, and protect wetlands and their associated buffers from on-site and off-site activities impacts. This ordinance should have provisions for establishment of reasonable wetland buffer areas and the means for avoidance and reduction of wetland impacts. The ordinance will be based on the Department of Ecology's Model Wetlands Protection Ordinance and will be made part of the Tumwater Environmental Code. Attributes of this ordinance should include:

Wetland Buffer Areas:

Wetland buffer areas should be required adjacent to regulated wetlands in order to protect wetland functions and values. All wetland buffer widths should be measured from the wetland boundary as established by a field survey conducted by a qualified wetland biologist. The width of the wetland buffer should be determined according to wetland category and the proposed land use as follows:

- *Category I:*

High intensity land use	300 feet
Low intensity land use	200 feet
- *Category II:*

High intensity land use	200 feet
-------------------------	----------

	Low intensity land use	100 feet
· <i>Category III:</i>	High intensity land use	100 feet
	Low intensity land use	50 feet
· <i>Category IV:</i>	High intensity land use	50 feet
	Low intensity land use	25 feet

Examples of high-intensity land uses might include residential uses of five or more units per acre or commercial uses.

Examples of low-intensity land uses might be residential uses of four or fewer units per acre, passive recreation or open space uses.

Wetland buffer widths may be increased on a case-by-case basis when a larger buffer is necessary to protect wetland functions and values if:

- A larger buffer is necessary to maintain viable populations of existing species; or
- The wetland is used by species proposed or listed by the federal or state government as endangered, threatened or sensitive; has critical or outstanding potential habitat for such species; or has unusual nesting or resting sites such as heron rookeries or raptor nesting trees; or
- The adjacent land is susceptible to severe erosion, and erosion control measures will not effectively prevent adverse wetland impacts; or
- The adjacent land has minimal vegetative cover or slopes greater than 15 percent.

Standard wetland buffer widths may be reduced on a case-by-case basis where the following can be demonstrated:

- The adjacent land is extensively vegetated and has less than 15 percent slopes. In addition, no direct or indirect, short-term or long-term adverse impacts to regulated wetlands as determined by the City of Tumwater, will result from the regulated activity. Such determination may require long-term monitoring of the project and subsequent corrective actions if adverse impacts to regulated wetlands are discovered; and
- The project includes a buffer enhancement plan using native vegetation which substantiates that an enhanced buffer will improve the functional attributes of the buffer to provide additional protection for wetlands functions and values.

An enhanced buffer should not result in greater than a 25 percent reduction in buffer width, and the reduced buffer shall not be less than 25 feet.

Standard wetland buffer zones may be modified by averaging buffer widths, but in no instance can the buffer width be reduced by more than 50% of the standard buffer or be less than 25 feet. Wetland buffer width-averaging may be utilized when the applicant can demonstrate all of the following:

- Averaging is necessary to avoid an extraordinary hardship to the applicant caused by circumstances peculiar to the property;
- The wetland contains variations in sensitivity due to existing physical characteristics;
- Low-intensity land uses would be located adjacent to areas where buffer width is reduced, and that such low-intensity land uses are guaranteed in perpetuity by covenant, deed restriction, easement, or other legally binding mechanism;
- Width-averaging will not adversely impact wetland functional values;
- The total area contained within the wetland buffer after averaging is no less than contained within the standard buffer prior to averaging.

Wetland and Wetland Buffer Areas - Exempt Activities:

Certain limited low-intensity activities may be permitted in wetland buffer areas without a wetlands permit, provided these activities are not prohibited by any other chapter or law and they are conducted using best management practices.

- Conservation or preservation of soil, water, vegetation, fish, shellfish, and other wildlife;
- Outdoor recreational activities, including fishing, birdwatching, hiking, boating, horseback riding, swimming, canoeing, and bicycling;
- The harvesting of wild crops in a manner that is not injurious to natural reproduction of such crops and provided the harvesting does not require tilling of soil, planting of crops, or alteration of the wetland by changing existing topography, water conditions, or water sources;
- Existing and ongoing agricultural activities including farming, horticulture, aquaculture, irrigation, ranching or grazing of animals. Activities on areas lying fallow as part of a conventional rotational cycle are part of an ongoing operation;

- The maintenance of drainage ditches;
- Education, scientific research, and use of nature trails;
- Navigation aids and boundary markers;
- Boat mooring buoys;
- Site investigative work necessary for land use application submittals such as surveys, soil logs, percolation tests and other related activities. In every case, wetland impacts should be minimized and disturbed areas should be immediately restored;
- Normal maintenance, repair, or operation of existing serviceable structures, facilities, or improved areas. Maintenance and repair does not include any modification that changes the character, scope, or size of the original structure, facility, or improved area and does not include construction of a maintenance road;
- Minor modification of existing serviceable structures within a buffer zone where modification does not adversely impact wetland functions.

The following utility relocation, replacement and installation activities should be permitted, provided that wetland impacts are minimized and disturbed areas are immediately restored when no feasible alternative location exists:

- Relocation of electric facilities, lines, equipment or appurtenances, not including substations, with an associated voltage of 55,000 volts or less when required by a local governmental agency with concurrent approval by the City of Tumwater.
- Relocation of natural gas, cable communications, gas, and telephone facilities, lines, pipes, mains, equipment or appurtenances when required by a local governmental agency with approval of the new location of the facilities by the City of Tumwater.
- Installation or construction in improved road rights-of-way, and replacement, operation or alteration of all electric facilities, lines, equipment or appurtenances, not including substations, with an associated voltage of 55,000 volts or less.
- Installation or construction in improved road rights-of way, and replacement, operation, repair or alteration of all natural gas, cable communications and

telephone facilities, lines, pipes, mains, equipment or appurtenances.

Wetland Buffers - Permitted Uses:

The following low-intensity, land uses should be permitted within wetland buffer areas provided they have minimal adverse impacts on wetland buffers and no adverse impacts to wetlands:

- Low intensity, passive recreational activities such as pervious trails, nonpermanent wildlife blinds, short-term scientific or educational activities, and sports fishing;
- In Category I, II, III and IV wetland buffers, surface level and below ground stormwater management facilities having no reasonable alternative on-site location; or
- In Category III and IV wetland buffers only, development having no feasible alternative location.

1.9 Reasonable Use of Wetlands and Wetland Buffers

If an applicant for a proposed development demonstrates that application of these policies and associated regulations would deny all reasonable use of the property, conditioned development may be allowed if the applicant demonstrates all of the following:

- The proposed project is water dependent or requires access to the wetland as a central element of its basic function, or is non-water dependent but has no practicable alternative;
- No reasonable use with less impact on the wetland and its buffer is possible;
- There exists no feasible on-site alternative to the proposed activities, such as density reduction, project phasing, change in activities timing, revision of road layout, or other site planning considerations that would allow reasonable economic use with less adverse impacts to wetlands and wetland buffers;
- The proposed activities will result in minimum impairment to the wetland's functions and values;
- Wetlands disturbance has been minimized by locating any development activities in wetland buffer areas to the extent possible;
- The proposed activities will not jeopardize the continued existence of

endangered, threatened, rare, sensitive, or monitor species as listed by the federal government or the State of Washington;

- The proposed activities will not cause significant degradation of groundwater or surface water quality;
- The proposed activities comply with all state, local, and federal laws, including those related to sediment control, pollution control, floodplain restrictions, and on-site wastewater disposal;
- All alterations to wetlands and wetlands buffers be mitigated;
- There will be no damage to nearby public or private property and no threat to the health or safety of people on or off the property;
- The inability to derive reasonable economic use of the property is not the result of actions by the applicant in segregating or dividing the property and creating the undevelopable condition after the effective date of the wetland regulations put in place, based on this plan.

1.10 Wetland Replacement Ratios

As a condition of any permit allowing alteration of wetlands and/or wetland buffers, the applicant should engage in the restoration, creation, or enhancement of wetlands and their buffers to offset loss of wetland function and value. It is recognized that the alteration of wetlands and/or wetland buffers is not desirable. Creation, restoration and enhancement of wetlands and/or wetland buffers is extremely difficult to achieve. Wetland alteration should only occur when impact avoidance and reduction is impossible.

Because of the uncertainties in scientific knowledge regarding wetland restoration, creation and enhancement, the following acreage replacement ratios should be utilized:

<i>Category I</i>	6:1
<i>Category II or III</i>	Forested 3:1 Scrub-Shrub 2:1 Emergent 2:1
<i>Category IV</i>	1.25:1

These ratios may be increased under the following circumstances:

- Uncertainty as to the probable success of the proposed restoration or creation;
- Significant period of time between destruction and replication of wetland functions;
- Projected loss of functional value; or
- Offsite compensation.

These ratios may be decreased under the following circumstances:

- Completion of a special study coordinated with agencies with expertise including findings demonstrating that no net loss of wetland functions and values would occur with a decreased ratio;
- In all cases, a minimum acreage replacement ratio of 1:1 should be required.

2. AQUIFER RECHARGE AREAS

2.1 Introduction

Potable water is a basic life-sustaining element to be used and protected. All of the City of Tumwater's drinking water supply comes from underground aquifer areas delivered through such means as the famous "artesian wells" of the area.

Tumwater and the Thurston region have had extensive study and work done on identification and protection of underground aquifers through the auspices of the Thurston County Office of Water Quality and Resource Management. Tumwater is a participating member of the Northern Thurston County Groundwater Advisory Committee, which reports to the Department of Ecology (WAC 173-591-090). That committee oversees the development of technical data, creation of a ground water protection plan and citizen involvement in ground water protection. Also, the Ground Water Protection Program, a citizen-based effort to protect area ground water, is administered by the Thurston County Environmental Health Division. That division works to gather data to educate citizens, explore financing options and develop other tools to protect ground water.

2.2 Aquifer Recharge Areas Classified

The State Growth Management Act (RCW 36.70A) requires cities and counties to classify recharge areas for aquifers according to the vulnerability of the aquifer. Vulnerability is the combined effect of hydrogeological susceptibility to contamination and the contamination loading potential. High vulnerability is indicated by land uses that contribute contamination that may degrade groundwater, and hydrogeologic conditions that facilitate degradation. Low vulnerability is indicated by land uses that do not contribute contaminants that will degrade ground water, and by hydrogeologic conditions that do not facilitate degradation.

To characterize hydrogeologic susceptibility of the recharge area to contamination, Tumwater will use the following physical characteristics:

- Depth to groundwater;
- Aquifer properties such as hydraulic conductivity and gradients;
- Soil (texture, permeability and contaminant attenuation properties);
- Characteristics of the Vadose Zone including permeability and attenuation properties; and
- Other relevant factors.

The following have been considered to evaluate the contaminant loading potential:

- General land use;

- Waste disposal sites;
- Agriculture activities;
- Well logs and water quality test results; and
- Other information found about the potential for contamination (see 2.5 for further discussion).

The goals of Tumwater's classification strategy for recharge areas will be to effectively maintain the quality of the groundwater by prevention of contamination, with particular attention to recharge areas of high susceptibility. Classification of these areas will include:

- Consideration of the degree to which the aquifer is used, now or in the future, as a potable (drinking) water source;
- Protective measures to preclude further degradation;
- Practicability of treatment measures to maintain potability.
- Availability of alternative potable water sources; and
- The degree of sensitivity of contaminants entering the aquifer.

Areas that require a groundwater recharge protection overlay on aquifers used for potable (drinking) water. Examples include:

- Sole source aquifer recharge areas designated pursuant to the federal safe drinking water act;
- Areas established for special protection pursuant to a groundwater management program, chapters 90.44 and 90.54 RCW, and chapter 173-100 WAC;
- Areas designated for wellhead protection pursuant to the Federal Safe Drinking Water Act.

2.3 Aquifer Protection Concerns

Concerns about ground water in Tumwater and the Thurston region, in general, include:

- Few alternative sources of drinking water exist;
- Geologic conditions in the region leave aquifers unprotected and ground water extremely vulnerable to pollution;
- Septic systems, stormwater runoff, chemical spills, pesticides and fertilizers can add contaminants to ground water;
- Though the region's ground water is generally of good quality, it is showing increasing effects of human activities; and
- Urbanization and population growth are placing increased demands on limited ground water resources.

Potential sources of ground water (aquifer) pollution include pesticides and fertilizers, septic systems, hazardous materials, contaminated storm water and leaking underground storage tanks.

2.4 Aquifer Protection Techniques

Techniques which can be used to protect geologically-sensitive aquifers include:

- Adopting special protection measures to protect drinking water supplies;
- Water system inter-ties between purveyors encouraged;
- Changing zoning so that hazardous industry cannot locate close to major wells without strict mitigation and protection measures.
- Proper stormwater treatment and conveyance to reduce contaminants;
- Maintenance of stormwater facilities to insure effective operation;
- Requiring industries that use hazardous chemicals to have containment facilities to capture chemicals that might spill;
- Restrict the use of some pesticides in aquifer sensitive areas by inter-agency liaison between Federal, State and local governments;
- Providing education and technical assistance on pesticides and fertilizers to homeowners and farmers; and
- Establishing an annual permit and inspection program for all commercial and industrial establishments utilizing underground storage tanks, aboveground bulk plants and underground vaults.

2.5 Tumwater Aquifer Vulnerability and Protection

Soils overlying the aquifer in Tumwater are of two general types:

- 1) **ALDERWOOD-EVERETT ASSOCIATION (85%):** These soils are moderate to very deep and moderate to excessively drained, all placed on top of glacial outwash plains.
- 2) **SPANAWAY-NISQUALLY ASSOCIATION (15%):** These soils are very deep, somewhat excessively drained, and placed on glacial outwash terraces.

Both of these general groupings exhibit moderate to high rates of water transmission to the aquifer below. Of main concern with excessively drained soils are problems on sites used for septic tanks, stormwater discharges or hazardous substance storage. Introduction to and absorption by the soils of containment results in ground water contamination caused by a poor filtering capacity.

Wellhead protection is a high priority. The City of Tumwater has worked with the other northern Thurston County jurisdictions to develop regional wellhead protection policies to insure the protection and continued preservation of ground water, which is

the source of drinking water to over ninety percent of Thurston County residents. The regional wellhead protection policies were based on recommendations in the *Northern Thurston County Ground Water Management Plan* and the wellhead protection plans of the individual jurisdictions.

The goal of the regional protection policies is to prevent contamination from occurring and to manage the resource in a cooperative manner. The policies are applicable to water systems with over 1,000 service connections. The following regional policies should be implemented by the City of Tumwater:

1. Participate in the intergovernmental regional ground water program.
2. Encourage and allow reuse techniques and reclamation of waste water where water quality can be protected.
3. Work with other jurisdictions to maintain and support financially, as resources allow, a coordinated water quality and water quantity monitoring program through the Thurston County Regional Ground Water Program.
4. Participate in regional collection and management of data through the Thurston County Regional Ground Water Program.
5. Provide technical assistance and education, to the extent resources allow, in designated wellhead protection areas to small businesses, industries, and residents regarding proper storage, handling and disposal of hazardous materials.
6. Encourage through education and technical assistance the use of safer, less hazardous products and the reduction of hazardous materials.
7. Participate, as resources allow, in planning and collaborative training and the implementation of regional spill response in designated wellhead protection areas.
8. Consider methods to mitigate the risk from commercial hazardous materials transportation through designated wellhead protection areas when doing transportation planning for new transportation corridors.
9. Consult with the appropriate regional transportation planning agencies and neighboring jurisdictions prior to establishing prohibitions of transportation corridors for commercial hazardous materials transport.
10. Provide, as resources allow, local information to the existing data management program within the Department of Ecology to develop and maintain an underground storage tank database for commercial underground storage tanks.
11. Coordinate the environmental review with other jurisdictions when a development proposal is within a designated wellhead protection area.
12. Participate in regional planning to address loss of domestic drinking water supply.
13. Incorporate requirements for enhanced protection of wellhead areas when stormwater drainage manuals and ordinances are revised.
14. Work together with other jurisdictions to coordinate educational programs to provide a basic wellhead protection message and work with community groups

- and private parties to incorporate this message whenever possible.
15. Encourage the Thurston Conservation District Board and others to continue their voluntary efforts on education, conservation planning, and installation of best management practices on existing farms, golf courses, parks, schools and other facilities which use pesticides and fertilizers in designated wellhead protection areas.
 16. Promote the use of integrated pest management, reduction of pesticide use, and reduction of fertilizer use by residents, businesses and other governmental agencies in designated wellhead protection areas.
 17. Encourage interjurisdictional water resource management committees to consider wellhead protection during the development of their annual work programs.
 18. Encourage the Ground Water Policy Advisory Committee and the Solid Waste Advisory Committee to discuss and coordinate activities and programs related to ground water protection and local hazardous waste management.

This plan recommends that the City Council and Public Works Committee consider the issue of mandatory septic tank testing or sewer line connection as an aquifer protection technique. It is also recommended that the City explore the implementation of a groundwater discharge permit system with the Thurston County Health Department as lead agency.

The Tumwater aquifer protection classification regime measures susceptibility to pollution in terms of vulnerability. Areas of high vulnerability will be protected by City ordinance through the creation of a new overlay zone called "Critical Areas - Aquifer Protection District". This new zone is to be geographically applied City-wide. In addition, a City ordinance will be created within the Tumwater Code, Section 16, Environment, which will have specific aquifer protection techniques to be applied City-wide.

The Critical Areas - Aquifer Protection District regulations specifically identify, classify and protect vulnerable aquifer recharge areas. The district has the following regulatory structure:

CRITICAL AREAS - AQUIFER PROTECTION ZONE DISTRICT

Intent:

The intent of the Critical Areas - Aquifer Protection Zone District (overlay zone district) is to identify, classify and protect vulnerable aquifer recharge areas within the City. Protection is to be accomplished by controlling the use and handling of hazardous substances. This district imposes additional restrictions on development in order to protect public health and safety by preserving the existing and future groundwater supply for the City. It is the intent of this district to protect vulnerable

aquifers from hazardous substance pollution by controlling or abating pollution from commercial and industrial sources and by preventing future pollution from new or different land uses or activities.

Scope and Applicability:

All property within the district shall be subject to the following restrictions, as well as the use, setback, and other controls of the zoning district in which it is presently located, and owners of property shall comply with the mandates of this chapter in addition to the zoning requirements of the district in which such property is presently or may later be located. In the event of conflict with the regulations of the underlying zoning district and the mandates of this district, the provisions of this district shall control.

Restricted Uses - Discharges and Disposal:

The following "high-risk" uses of land shall be restricted from locating within the boundaries of this district, unless such a use complies with the provision herein on new technologies and best management practices:

1. Chemical manufacture and reprocessing.
2. Creosote/asphalt manufacture or treatment.
3. Electroplating activities.
4. Manufacture of flammable or combustible liquids as defined in the current edition of the Fire Code.
5. Petroleum products refinery, including reprocessing.
6. Wood products preserving.
7. On and off-site hazardous waste treatment and storage facilities.

Improved Technology/Best Management Practices:

A restricted land use may be considered for location within the district only upon conclusive demonstration that application of new or improved technology or best management practice will result in no greater threat to the groundwater resources than that posed by a non-prohibited use. The approval procedure for location as a permitted use shall be by Conditional Use Permit, as set forth in Section 18.56 of this chapter.

The City-wide Aquifer Protection Ordinance will have the following regulatory structure:

Intent:

It is the declared policy of the City of Tumwater to conserve and protect the

underground waters and aquifers over which the City rests. Any development which occurs within the City will be designed to eliminate chemical and biological contaminants from entering underground waters and aquifers which are now, or in the future, likely to be used as a potable drinking water source.

Aquifer Protection Techniques:

The following aquifer protection techniques will be applied on a City-wide basis for new development construction:

1. **Stormwater Retention Facilities**

New stormwater retention facilities serving ten or more single family residences, multiple family residences with four or more living units, and all commercial/industrial land uses must cleanse the stormwater of chemical and biological pollutants. The contaminant catch load must be dealt with in a way to prevent its entry into the groundwater system. Specific performance standards for stormwater cleansing and groundwater contaminant shielding to be established by the Public Works Director on an interim basis and subsequently identified by the City's Development Standards process by no later than one year past the date of Department of Ecology's final rules on stormwater.

2. **Facilities with Underground Tanks/Underground Storage Vaults**

All new underground storage facilities used or to be used for the underground storage of hazardous substances shall be designed and constructed so as to:

- a. Prevent releases due to corrosion or structural failure for the operational life of the tank or vault;
- b. Be cathodically protected against corrosion, constructed of non-corrosive material, steel clad with a noncorrosive material, or designed in a manner to prevent the release or threatened release of any stored substance;
- c. Use material in the construction or lining of the tank which is compatible with the substance to be stored;
- d. Provide for release detection method(s); and
- e. Have double walls or single walls with liners.

3. **Facilities with Aboveground Tanks/New Aboveground Tanks**

- a. No new aboveground storage facility or part thereof shall be fabricated, constructed, installed, used, or maintained in any manner which may allow the release of a hazardous substance to the ground, groundwaters,

or surface waters.

- b. No new aboveground tank or part thereof shall be fabricated, constructed, installed, used, or maintained without having constructed around and under it an impervious containment area enclosing or underlying the tank or part thereof. Impervious containment should be equal to the volume of the tank to avoid an overflow of the containment area.

4. **Modification of Performance Standards**

Projects that are located outside of the Aquifer Protection Zone District (TMC Title 18) may be granted reductions in the above-specified performance standards by the submittal and approval of an aquifer protection plan. This plan will outline how the project proposal will effectively protect the aquifer from releases of contaminants. This plan will also be made a part of the environmental review as outlined in the City's Environmental Policy Code (TMC Title 16.04).

5. **Municipal Well Protection**

Computer modeling and mapping has been completed designating the one, five, and ten year groundwater time of travel for existing well heads in Tumwater. Chapter 16.26 should be referred to for uses that fall within these areas.

3. FREQUENTLY FLOODED AREAS

3.1 Introduction

Protection of life and property during floods is a vital part of Tumwater's responsibility to public safety. Many of Tumwater's rivers, streams, and lakes are subject to flooding during periods of heavy rainfall.

Tumwater has had extensive research and study completed regarding frequently flooded areas within the City. Since August of 1980, Tumwater has participated in the National Flood Insurance Program, as authorized by the National Flood Insurance Act of 1968.

In order to be eligible for the program, hydrologic and hydraulic analyses were performed by the U.S. Geological Survey, for the Federal Emergency Management Agency, as codified in Chapters 15.28 and 18.38 of the Tumwater Municipal Code.

3.2 Frequently Flooded Areas Classified

The State Growth Management Act (RCW 36.70A) requires cities and counties to classify frequently flooded areas based on the 100-year floodplain designations of the Federal Emergency Management Agency and the National Flood Insurance Program.

Tumwater will consider the following when designating and classifying frequently flooded areas:

- Effects of flooding on human health and safety, and to public facilities and services;
- Available documentation, including federal, state, and local laws, regulations, and programs, local studies and maps, and federal flood insurance programs;
- Future flow floodplain, defined as the channel of the stream and that portion of the adjoining floodplain that is necessary to contain and discharge the base flood flow at buildout without measurable increase in flood heights;
- The potential effects of tsunamis, high tides with strong winds, sea level rise resulting from global climate change; and
- Greater surface runoff caused by increasing impervious surfaces.

3.3 Frequently Flooded Areas Concerns

Concerns about frequently flooded areas in Tumwater include:

- Heavy seasonal rains generally from November through March can cause sudden river and stream rises and out-of-bank flows; and
- Out-of-bank flows can cause damage to life, dwellings, and industrial, agricultural, and recreational facilities.

3.4 Frequently Flooded Areas Protection Techniques

Techniques that can be used to protect life and property in frequently flooded areas include use of a zoning overlay district(s) to:

- Limit or prohibit, as appropriate, encroachment in floodplains that could endanger life and property during periods of flooding; and
- Preserve the natural functions of floodplains to store, carry, and control flood waters.

3.5 Tumwater Frequently Flooded Areas Protection

Maps from the Federal Emergency Management Agency, as part of the National Flood Insurance Program (1984), clearly delineate frequently flooded areas. These maps were then used to designate the Floodplain Zone District overlay zone.

The Floodplains Overlay district is divided into three sub-districts:

1) FLOODWAY: Is the channel of a stream and adjacent land areas which are required to carry and the discharge of a flood event that has a one percent chance of being equaled or exceeded in any given year. The “floodway” is designated on Flood Boundary and Floodway Maps from the Federal Emergency Management Agency. The “floodway” is usually characterized by water moving with a definite velocity and current during a flood event and a difference in soil conditions or vegetative ground cover when compared to other portions of the flood plain.

2) FLOODPLAIN, one-hundred year: The one-hundred year floodplain is the areas outside of the floodway which are subject to a one percent or greater chance of flooding in any given year. These areas are identified as the A, AE, AH, AO, A1-30, or A99 Zones on the Flood Insurance Rate Maps produced by the Federal Emergency Management Agency. The “one-hundred year floodplain” is usually located within the lowlands adjoining the channel of a river, stream or watercourse, or ocean, lake, or other body of standing water,

3) FLOODPLAIN, five-hundred year: The five-hundred year flood is the area that is subject to a 0.2 percent or greater chance of flooding in any year. There areas are identified as the “B” and “X” zones on the Flood Insurance Rate Maps from the Federal Emergency Management Agency . The five-hundred year flood area is usually lowlands adjoining the channel of a river, stream or watercourse, or ocean, lake, or other body of standing water.

These flood areas have been accurately delineated based on hydrologic and hydraulic studies completed by the Federal Emergency Management Agency in April of 1984, and as subsequently revised and amended.

The methodology and detail of these studies is accepted as the best available. The Floodplain Zone District overlay has served Tumwater well in minimizing the undesirable impacts of flooding.

Chapters 15.28 and 18.38 of the Tumwater Municipal Code are in place and serve to designate frequently flooded areas. If allowed, any structures permitted in the designated flood areas are subject to strict development regulations. The existing regulations were put in place after careful study and fulfill the requirements of the Growth Management Act regarding designation, classification, and protection of frequently flooded areas.

4. GEOLOGICALLY-HAZARDOUS AREAS

4.1 Introduction

This plan defines geologically-hazardous areas as those which are susceptible to erosion, landslides, earthquake and other geological events which pose a threat to public safety. At issue is the proper design and location of commercial, residential and industrial development to remove or reduce incompatibility with underlying geology. This goal of land use and geological harmony can be best pursued by appropriate engineering, design, or construction.

It must also be recognized that even the best of efforts in proper design and application of technology, at times, will not adequately reduce the risks of geological damage. In these instances, this plan proposes that building in such extreme geologically-hazardous areas is to be avoided.

4.2 Geologically-Hazardous Areas Classified

Areas that are prone to one or more of the following hazards are defined as geologically-hazardous:

- Erosion
- Landslides
- Earthquakes
- Volcanic hazards

This plan will identify areas with the above-described hazards and subsequently classify all areas within Tumwater in one of three categories:

- 1) Known or suspected risk
- 2) No risk
- 3) Risk unknown (because of lack of information)

4.3 Geologically-Hazardous Areas Identified

The identification methodology upon which this plan relies to define geologically-hazardous areas are as follows:

Erosion - Identified by the United States Department of Agriculture Soil Conservation Service (USDA-SCS) as those areas having a "severe" rill and inter-rill erosion hazard.

Landslides - Identified as those areas susceptible due to combinations of bedrock, soil, slope gradient, slope aspect, hydrology and other identified factors. Examples of

these areas are:

- A. Areas of historic failures
 - USDA-SCS classified as "severe" limitation for building development;
 - Areas mapped as unstable (u), unstable old slides (uos), unstable recent slides (urs), by the Department of Ecology coastal zone atlas;
 - Areas designated as quaternary slumps, earthflows, mudflows, lahars or landslides on maps published by the United States Geological Survey or Department of Natural Resources.
- B. Areas with all three of the following characteristics
 - Slopes steeper than 15%;
 - Hillsides intersecting geologic contacts of a relatively permeable sediment overlying a relatively impermeable sediment or bedrock;
 - Springs or groundwater seepage.
- C. Areas which have shown movement over the last 10,000 years or which are underlain or covered by mass wastage debris from this time period.
- D. Slopes that are parallel to planes of weakness in sub-surface materials such as:
 - Bedding planes
 - Fault planes
- E. Slopes with 80% or steeper gradients subject to rockfall during earthquakes.
- F. Areas unstable as a result of stream incision, stream bank erosion, and undercutting by wave action.
- G. Areas at risk from snow avalanches.
- H. Areas located in a canyon or on an active alluvial fan, presently or potentially subject to inundation by debris or catastrophic flooding.
- I. Slopes of 40% or steeper with a vertical relief of ten or more feet except areas composed of consolidated rock.

Earthquake - Earthquake hazard areas are those which are subject to severe risk of damage as a result of shaking, slope failure, settlement, soil liquefaction, or surface faulting. Within Washington State the historic damage inducement has been ground shaking which results in settlement and soil liquefaction. The amount of ground shaking is affected by earthquake magnitude, distance from the earthquake epicenter,

type and thickness of surface geologic materials, and sub-surface geologic structure.

4.4 Tumwater Geologically-Hazardous Areas

Erosion (Known or Suspected Risk Category) - The two major soil groupings within Tumwater are the Alderwood-Everett and Spanaway-Nisqually series. None of these soil types are identified as having severe erosion hazard characteristics when undisturbed. Erosion control procedures, now practiced under Appendix, Chapter 70, Excavation and Grading, of the Uniform Building Code (UBC) and the City's Tree Protection Code (TMC 16.08) effectively control short-term erosion during land clearing and construction.

Landslides (Known or Suspected Risk Category) - Known risk factors measuring probability of landslides are as follows:

- No areas within Tumwater are identified in the Department of Ecology Coastal Zone Atlas as landslide areas influenced by marine action.
- The major soil groupings for Tumwater (Alderwood-Everett, Spanaway-Nisqually) are identified by the Soil Conservation Service as having limitations for building development as follows:

LANDSLIDE/SLOPE STABILITY

<u>Soil Name</u>	<u>Dwellings w/o Basements</u>	<u>Dwellings w/ Basements</u>	<u>Small Commercial</u>
Alderwood	Severe limitation	Severe limitation	Severe limitation
Everett	Severe limitation	Severe limitation	Severe limitation
Spanaway	No limitation	No limitation	Severe limitation
Nisqually	No limitation	No limitation	Severe limitation

- Areas of slope over 15% and groundwater seepage exist on Tumwater Hill, the DesChutes river valley slopes, and Bush Mountain.

Earthquakes (Known or Suspected Risk Category) - Tumwater is identified in the Uniform Building Code (UBC) as being located within the Zone 3 (Zone 0 - lowest, Zone 4 - highest) seismic zone map of the United States. This is a high-risk area for earthquakes and UBC standards for building construction set out stringent structural performance standards.

Volcanic Hazards (No Risk Category) - Discussions with the State Geologist indicate that Tumwater is not in a Volcanic Hazard zone, and only ashfall could be expected to visit the area.

4.5 Development Within Tumwater's Geologically-Hazardous Areas

Based upon the previous review of geologically-hazardous areas existing within Tumwater, the development regulations are appropriate to safeguard future construction in earthquake and landslide prone areas. Chapter 16.20 Geologically Hazardous Areas, sets forth standards for construction in areas identified as susceptible to earthquake and landslide conditions.

Intent:

It is the declared policy of the City of Tumwater to encourage land use that is compatible with underlying geological conditions through the use of appropriate engineering, design and construction practices. It is also recognized that at times even the best of efforts to properly design and apply technology will not adequately reduce the risks of geological hazards. In these instances, areas of extreme geological instability are to be avoided as sites for development and placement of structures.

Geologically-Hazardous Areas Development Requirements:

- 1) All building permit applications, for new structures, applied for within the City shall be submitted with site information on the following characteristics:
 - Maximum and average slopes on the site: pre-construction;
 - Identification of known groundwater seepage areas;
 - Soils present, with identified propensity for liquefaction during earthquakes;
 - Any known landslide activity; and
 - Identification of stream incision points and streamside erosion points.

- 2) Development sites identified with high probability of experiencing soil liquefaction during earthquakes shall have all new structures designed in accordance with the requirements of Chapter 16, of the 1997 Uniform Building Code as written now or hereafter amended.

- 3) Development sites for new structures shall be designed in accordance with the requirements of Chapter 16 and Chapter 18 of the 1997 Uniform Building Code as written now or hereafter amended when the following conditions exist:
 - Slopes steeper than 15%;
 - Hillsides intersecting geologic contacts of a relatively permeable sediment overlying a relatively impermeable sediment or bedrock;
 - Springs or groundwater seepage;
 - Slopes of 40% or steeper with a vertical relief of ten or more feet except areas composed of consolidated rock.

- 4) Development sites for new structures identified as potentially experiencing landslide activity shall have all new structures designed in accordance with the requirements of Appendix, Chapter 18, and Appendix, Chapter 35 of the 1988 Uniform Building Code as written now or hereafter amended.
- 5) Development sites for new structures, identified with ground water seepage areas or average slopes of 15% or greater or maximum slopes of 40% or greater, shall have all structures located a minimum of 50 feet away from such seepage areas or such structures will be required to install an on-site drainage system and foundations designed to mitigate such site constraints. Such building design is to meet the specifications of the Building Official and be prepared by an engineer, licensed by the State.
- 6) Development sites for new structures identified with intermittent or perennial streamside incision or erosion points shall have all structures located a minimum of 50 feet away from such points. Structures will have on-site drainage installed to conduct water away from streamside incision or erosion areas as much as practicable. Such a drainage system and foundation design is to meet the specifications of the Building Official and be prepared and designed by an engineer, licensed by the State.

5. FISH AND WILDLIFE HABITAT CONSERVATION AREAS

5.1 Introduction

Preservation of fish and wildlife habitat is critical to the protection of suitable environments for animal species and in providing a natural beauty and healthy quality of life for Tumwater and its citizens. The conservation of habitat means active land management for maintaining species within their preferred habitats and accustomed geographic distribution. In this way, isolated sub-populations are not created which are more susceptible to predation, dislocation and inadequate food supplies. Habitat protection does not require that all individuals of all species are protected, but does demand that land use planning be sensitive to the priority of saving and protecting animal-rich environments.

5.2 Fish and Wildlife Habitat Classified

The State Growth Management Act (RCW 36.70A) requires cities and counties to classify seasonal ranges and habitats which are critical to the survival of endangered, threatened and sensitive species. Within Tumwater, habitats and species will be identified which are of local importance.

A listing of the types of fish and wildlife habitat areas to be protected by state-mandate are:

- Areas with which endangered, threatened and sensitive species have a primary association;
- Habitats and species of local importance;
- Commercial and recreational shellfish areas;
- Kelp and eelgrass beds; herring and smelt spawning areas;
- Naturally occurring ponds under twenty acres and their submerged aquatic beds that provide fish or wildlife habitat;
- Waters of the state (WAC 222);
- Lakes, ponds, streams, and rivers planted with game fish by a governmental or tribal entity; or
- State natural area preserves and natural resource conservation areas.

5.3 Fish and Wildlife Habitat Protection Techniques

After classifying and designating fish and wildlife areas in Tumwater, the following protection techniques will be pursued when appropriate:

- Creating a system of fish and wildlife habitat with connections between larger habitat blocks and open spaces;
- Limiting the level of human activity in such areas including presence of roads and level of recreation type (after site specific analysis and planning passive or active recreation may be appropriate for certain areas and habitats);
- Protecting riparian ecosystems;
- Evaluating land uses surrounding ponds and fish and wildlife habitat areas that may negatively impact these areas;
- Establishing buffer zones around these areas to separate incompatible uses from habitat areas; and
- Restoration of lost salmonid habitat.

5.4 Tumwater Fish and Wildlife Habitat Identified

A review of State and local records and studies on habitats and species indicates that the following habitat categories exist within the City:

- 1) Areas with which endangered, threatened and sensitive species have a primary association;
- 2) Naturally occurring ponds under twenty acres with submerged aquatic beds that provide general fish and wildlife habitat;
- 3) Waters of the State (WAC 222); and
- 4) Lakes, ponds, streams and rivers planted with game fish by a governmental or tribal entity.

These four habitat categories are further defined as follows:

- 1) Seasonal ranges and habitats with which federal and state- listed endangered, threatened and sensitive species have a primary association and which, if altered, may reduce the likelihood that the species will maintain and reproduce

over the long term.

- 2) Naturally occurring ponds under twenty acres and their submerged aquatic beds that provide fish or wildlife habitat.

Naturally occurring ponds do not include ponds deliberately designed and created from dry sites, such as canals, detention facilities, wastewater treatment facilities, farm ponds, temporary construction ponds (of less than three years duration) and landscape amenities. However, naturally occurring ponds may include those artificial ponds intentionally created from dry areas in order to mitigate conversion of ponds, if permitted by a regulatory authority.

- 3) Waters of the State. Waters of the State are defined in Title 222 WAC, the forest practices rules and regulations. Tumwater will use the classification system established in WAC 222-16-030 to classify waters of the State.

The following factors are considered when classifying waters of the State as fish and wildlife habitats:

- A) Species present which are endangered, threatened, or sensitive, and other species of concern;
 - B) Species present which are sensitive to habitat manipulation;
 - C) Historic presence of priority species;
 - D) Existing surrounding land uses that are incompatible with salmonid habitat;
 - E) Presence and size of riparian ecosystems;
 - F) Existing water rights; and
 - G) The intermittent nature of some of the higher classes of waters of the State.
- 4) Lakes, ponds, streams, and rivers planted with game fish.

This includes game fish planted in these water bodies under the auspices of a federal, state, local, or tribal program or which supports priority fish species as identified by the Department of Wildlife.

5.5 Tumwater Sensitive Species Identified

The Department of Fish and Wildlife maintains a listing of the priority habitats and species (PHS) for the City of Tumwater. This database is the reference document to be used by the City in the protection of habitats and species identified within the City.

5.6 Tumwater Fish and Wildlife Habitat Protection

Given Tumwater's diversity of fish and wildlife habitats in terms of geographic location, biological sensitivity, species hierarchy and current/future adjacent land uses, this plan proposes a regulation and protection process based upon performance standards to be applied to site specific development.

These performance standards are to be implemented on site-specific projects through TMC 16.38 and concomitant development permits.

Habitats Defined and Protected:

- Fish and wildlife habitats protected as per subsection 5.45 (To include the Deschutes River, Percival Creek, Black Lake drainage ditch, Barnes Lake, Troser Lake, Fishpond Creek and their associated wetlands.
- Habitats and species as identified by the Washington State Department of Fish and Wildlife's "Priority Habitats and Species Project Documents", including future revisions thereof, for the Tumwater area.

Habitat Areas - Buffers:

To retain and protect adequate urban wildlife habitats, buffers will be established on a case-by-case basis to be defined by a habitat protection plan.

Habitat Areas - Allowed Uses and Activities:

Uses within protected habitat areas limited to low intensity land uses designed not to adversely affect the habitat. These uses will be:

- Agriculture
- Boat ramps
- Docks and floats
- Wildlife blinds
- Scientific research
- Beach access
- Emergency - Temporary Permits
- Enhancement
- Existing structures remodeled (including enlargement) or replaced
- Fences
- Fill with mitigation
- Forest practice permits
- Outdoor recreation activities
- Open space area

Parks
Public structures
Stormwater facilities
Trails and related facilities
Utility lines
Wildlife nesting structures

Habitat Areas - Residential Density:

For the purpose of calculating residential densities for sites containing significant wildlife habitat areas, the densities established in the underlying zoning district shall apply, unless it is determined through site specific SEPA analysis to have an impact on the designated habitat.

Habitat Areas - Protection Plan:

When a protected habitat is located on a site to be developed, a Habitat Protection Plan will be submitted by the permit applicant. The Habitat Protection Plan shall contain the following information as a minimum and will be subsequently used as part of the Environmental Review and Discretionary Permit review process:

A report developed by a qualified professional expert, as defined in WAC 365-195-905 (4), which contains:

1. A description of the nature, density and intensity of the proposed development in sufficient detail to allow analysis of such land use change upon identified fish or wildlife habitat.
2. The applicant's analysis of the effect of the proposed development, activity or land use change upon the fish and/or wildlife species.
3. A plan by the applicant which shall explain how any adverse impacts to fish or wildlife habitats created by the proposed development will be mitigated.

A map(s) prepared at an easily readable scale, showing:

1. The location of the proposed development site.
2. The relationship of the development to the adjacent habitat area.
3. The nature and density of the proposed development or land use change.
4. Proposed building locations and arrangements.

5. A legend which includes:
 - A) A complete and accurate legal description as prescribed by the development application form. The description shall include the total acreage of the parcel.
 - B) Title, scale and north arrows; and
 - C) Date, including revision dates if applicable.

6. Existing structures and landscape features including the name and location of all water courses, ponds and other bodies of water.

Possible mitigation measures shall include, but are not limited to:

- A. Establishment of buffer zones;
- B. Buffer zone enhancement by planting indigenous plant species;
- C. Preservation of critically important plants and trees;
- D. Limitation of access to habitat area;
- E. Seasonal restriction of construction activities.